ideal
HEATING

HALO
AIR

IDEAL HALO AIR Wi-Fi & RF

2
YEAR WARRANTY*

ideal

Power HP Comms Connectivity Zigbee
Override Pair Reset

Sat, 17 Nov   9:33pm
21.0 target temp until 10:00pm
19.5 current room temp
menu   auto mode

Bedroom
Current area Temperature | 20.5°
20.5°c
Temperature
5°c   30°c

Heating Status
Manual

Your Schedule
Inactive

Plus Hours
Auto mode

Designed for
Logic Air

Easy to install

Full heating and
hot water control

idealenergy.ie

Halo Air
RF.

2 YEAR WARRANTY*

2 YEAR WARRANTY*	2 year warranty*	
Easy to install		Load compensating control
Compatible with Logic Air	Simple wiring connections to heat pump control box	Simple dial and button interface

Halo Air RF is a wireless programmable room thermostat designed specifically to work with Logic Air.

Halo offers fast, flexible and intelligent wireless technology and is packed with features that enable simple and easy heating and hot water control.

Ideal product code	234819
Power source	4 x AA alkaline batteries or USB
Wireless communication protocol	Zigbee 3.0
Heat pump communication protocol	BSB
Install location	Wall mounted or desk mounted
Desk stand supplied	YES
ERP Class	Class VI
TTZC (Time, Temperature and Zone control)	YES - Time and Temperature control
WEEE	Yes - options available
Certification	UKCA CE

*2 year parts and labour warranty available when registered within 30 days of installation. Terms and conditions apply.

Halo Air Wi-Fi.

2 YEAR WARRANTY*

2 YEAR WARRANTY* — 2 year warranty*

Compatible with Logic Air

Easy app set up

Smart home compatible

Easy to install

Load compensating control

Control your heating and hot water anywhere via the app

Year round customer support

Halo Air Wi-Fi is engineered specifically to work with Logic Air heat pumps and allows flexible control of heating and hot water with the intuitive Halo app, which can be connected through smart home devices like Amazon Alexa and Google Home.

It's simple to install, straightforward for everyone to use, no matter where they are.

Ideal product code	234790
Power source	4 x AA alkaline batteries or USB
Wireless communication protocol	Zigbee 3.0
Heat pump communication protocol	BSB
Install location	Wall mounted or desk mounted
Desk stand supplied	YES
ERP Class	Class VI
TTZC (Time, Temperature and Zone control)	YES - Time and Temperature control
WEEE	Yes - options available
Certification	UKCA CE

*2 year parts and labour warranty available when registered within 30 days of installation. Terms and conditions apply.

4

Halo Air
2-Zone RF.

2
YEAR WARRANTY*

	2-Zone control
	Easy to install
	Load compensating control
	Compatible with Logic Air
	Simple wiring to heat pump control box
	Simple dial and button interface

Halo Air RF 2-Zone incorporates an additional programmable room thermostat with the extra functionality of controlling the temperature of a second zone.

Ideal product code	234791
Power source	8 x AA alkaline batteries or USB
Wireless communication protocol	Zigbee 3.0
Heat pump communication protocol	BSB
Install location	Wall mounted or desk mounted
Desk stand supplied	YES
ERP Class	Class VI
TTZC (Time, Temperature and Zone control)	YES - Time, temperature and Zonal control
WEEE	Yes - options available
Certification	UKCA CE

Halo Air
2-Zone Wi-Fi.

2 YEAR WARRANTY*

2-Zone control

Smart home compatible

Control your heating and hot water no matter where you are

Compatible with Logic Air

Easy to install

Year round customer support

Easy app set up

Load compensating control

Halo Air Wi-Fi 2-Zone incorporates an additional programmable room thermostat with the extra functionality of controlling the temperature of a second zone.

Ideal product code	234792
Power source	8 x AA alkaline batteries or USB
Wireless communication protocol	Zigbee 3.0
Heat pump communication protocol	BSB
Install location	Wall mounted or desk mounted
Desk stand supplied	YES
ERP Class	Class VI
TTZC (Time, Temperature and Zone control)	YES - Time, temperature and Zonal control
WEEE	Yes - options available
Certification	UKCA CE

*2 year parts and labour warranty available when registered within 30 days of installation. Terms and conditions apply.

IHD_H410_Air_Spec_Sheet_IE